



ISOLAB SDN BHD (428427-T)

No. 5, Jalan Anggerik Mokara 31/46,
Kota Kemuning, 40460 Shah Alam,
Selangor Darul Ehsan, Malaysia.
Tel : +6 03-5122 5331 / 5122 5337
Fax : +6 03-5122 7191
E-mail : enquiry@isolab.com.my
Website : http://www.isolab.com.my

QUALITY CONTROL CERTIFICATE

Date :

Page : 1 of 1

Product : Buffered Peptone Water, 200mL

Manufacture Date :

Catalog No. : ISO-8150

Expiry Date :

Batch No. :

A. PHYSICAL CHARACTERISTICS

1. Media appearance : Light amber, clear with no precipitate.
2. pH at 25°C : (pH specification range: 7.2 ± 0.2)
3. Sterility : Passed inspection after 3 days.

B. BIOLOGICAL PERFORMANCE

Representative samples of this batch were inoculated with the test organisms, incubated under appropriate atmospheric conditions and gave cultural responses as indicated:

Test Organisms	ATCC®	Inoculum (CFU'S)	Incubation	Growth
<i>Salmonella enteritidis</i>	13076	10 – 100	35±2°C, 24 hours	Good
<i>Salmonella typhi</i>	19430	10 – 100	35±2°C, 24 hours	Good
<i>Salmonella typhimurium</i>	14028	10 – 100	35±2°C, 24 hours	Good

Representative samples of this lot were tested for microbial load and were found to be acceptable.

The pH stated was obtained at time of release, the pH may vary within the stated range depending on age of product and type of pH meter and probe used.

Results reported were obtained at time of release.

QC Manager