



**ISOLAC™**

## Prepared Media for Growth of Microorganisms

**A Cost Effective Option of  
Quality Prepared Media**

At ISOLAB, we believe that culture media need to be of the highest quality.

This is why we choose to collaborate with Becton Dickinson to produce ISOLAC™ prepared media.

All ISOLAC™ are prepared from the highest quality raw materials available from BBL™ and Difco™ brands. All ISOLAC™ plated and tubed media are filled with formulations that have been established and recognized by microbiologists for over a century.

- *ISOLAC is trademark of Isolab Sdn Bhd.*
- *BBL and Difco are trademarks of Becton Dickinson.*



**Manufactured by:**  
**ISOLAB SDN. BHD.**  
MALAYSIAN MADE , MALAYSIAN OWNED



Reg No : 852288  
ISO 9001:2000 Certified



**ISOLAC™**  
MALAYSIAN MADE, MALAYSIAN OWNED



## Plated Media

Plate Size: 100 mm x 15 mm

Description	Catalog No.	Storage	Unit
<b>Baird-Parker Agar</b>	<b>ISO-1050</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>BCYE Agar (for Legionella)</b>	<b>ISO-1060</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Bile Esculin Agar</b>	<b>ISO-1120</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Bordet Gengou Blood Agar</b>	<b>ISO-1140</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Brain Heart Infusion Agar</b>	<b>ISO-1170</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Brilliant Green Agar</b>	<b>ISO-1230</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Campylobacter Agar with 3 Antimicrobics (Skirrow)</b>	<b>ISO-1285</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Campy CSM Agar</b>	<b>ISO-1270</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>CDC Anaerobe 5% Sheep Blood Agar</b>	<b>ISO-1340</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Chocolate II Agar</b>	<b>ISO-1380</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>CLED Agar (Cystine-Lactose-Electrolyte-Deficient)</b>	<b>ISO-1420</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Columbia Agar with 5% Sheep Blood</b>	<b>ISO-1450</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Columbia Agar with 5% Horse Blood</b>	<b>ISO-1451</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>DNase Test Agar</b>	<b>ISO-1530</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>EMB Agar Modified (HHT)</b>	<b>ISO-1570</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>GC II Agar with 1% Growth Supplement</b>	<b>ISO-1608</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>GC-LECT Agar</b>	<b>ISO-1610</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Haemophilus Test Medium Agar</b>	<b>ISO-1640</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Hektoen Enteric Agar</b>	<b>ISO-1660</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>MacConkey Agar without Salt and Crystal Violet</b>	<b>ISO-1740</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>MacConkey II Agar</b>	<b>ISO-1750</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>MacConkey II Agar with Sorbitol</b>	<b>ISO-1770</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Mannitol Salt Agar</b>	<b>ISO-1780</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Mueller Hinton II Agar</b>	<b>ISO-1830</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Mueller Hinton II Agar with 5% Sheep Blood</b>	<b>ISO-1840</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Nutrient Agar</b>	<b>ISO-1910</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Oxacillin Screen Agar for the detection of MRSA/MRSE</b>	<b>ISO-1880</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Potato Dextrose Agar</b>	<b>ISO-1960</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Regan-Lowe Charcoal Agar</b>	<b>ISO-2000</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Sabouraud Dextrose Agar</b>	<b>ISO-2060</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Salmonella Shigella Agar</b>	<b>ISO-2140</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Standard Methods Agar (Plate Count Agar)</b>	<b>ISO-2250</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>TCBS Agar (for Vibrio Isolation)</b>	<b>ISO-2290</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Thayer-Martin Modified Agar</b>	<b>ISO-2320</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Thayer-Martin Selective Agar</b>	<b>ISO-2320</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Trypticase™ Soy Agar (Soybean-Casein Digest Agar)</b>	<b>ISO-2340</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Trypticase™ Soy II Agar with 5% Sheep Blood</b>	<b>ISO-2390</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>XLD Agar</b>	<b>ISO-2460</b>	<b>2 - 8 °C</b>	<b>20 plates</b>
<b>Yersinia Selective Medium (CIN Agar)</b>	<b>ISO-2490</b>	<b>2 - 8 °C</b>	<b>20 plates</b>

**Other Plate Sizes: Contact/RODAC™ Plate (65 x 15mm) and Large Plate (150 x 15mm)**

*We can produce and customise media to meet your needs. Kindly contact us for further details.*

*Trypticase and RODAC are trademarks of Becton Dickinson.*



## Tubed & Bottled Media

Description	Catalog No.	Storage	Unit
Alkaline Peptone Water (for Vibrio), 5mL	ISO-5030	2 - 25 °C	100 tubes
Brain Heart Infusion Broth, 5 mL	ISO-5500	2 - 8 °C	100 tubes
Bile Esculin Agar Slants	ISO-5520	2 - 8 °C	100 tubes
Chocolate II Agar Slants	ISO-5630	2 - 8 °C	100 tubes
Cooked Meat Medium, 8 mL	ISO-5670	2 - 8 °C	100 tubes
CTA Medium, 5mL	ISO-5690	2 - 8 °C	100 tubes
Fluid Thioglycollate Medium, 8 mL	ISO-5830	15 - 30 °C	100 tubes
Indole Nitrite Medium, 5mL	ISO-5880	2 - 8 °C	100 tubes
Kligler Iron Agar (KIA) Slants	ISO-5910	2 - 8 °C	100 tubes
Malonate Broth (Ewing Modified), 5mL	ISO-6010	2 - 25 °C	100 tubes
MIL (Motility Indole Lysine ) Medium, 5 mL	ISO-6050	2 - 8 °C	100 tubes
MIO (Motility Indole Ornithine) Medium, 5 mL	ISO-6060	2 - 8 °C	100 tubes
Motility Test Medium (for Enterobacteriaceae), 5mL	ISO-6093	2 - 8 °C	100 tubes
MR-VP Broth, 5 mL	ISO-6100	2 - 8 °C	100 tubes
Mueller Hinton II Broth, 5 mL	ISO-6121	2 - 8 °C	100 tubes
Nutrient Agar Slants	ISO-6211	2 - 8 °C	100 tubes
Nutrient Broth, 5 mL	ISO-6212	2 - 8 °C	100 tubes
OF Basal Medium, 5 mL	ISO-6220	2 - 8 °C	100 tubes
OF Medium with Dextrose, 5mL	ISO-6222	2 - 8 °C	100 tubes
Peptone Water, 3mL	ISO-6237	2 - 8 °C	100 tubes
Phenylalanine Agar Slants	ISO-6280	2 - 8 °C	100 tubes
Potato Dextrose Agar Slants	ISO-6292	2 - 8 °C	100 tubes
Rapid Selective Urea Broth, 0.5mL (for H. pylori)	ISO-6336	2 - 8 °C	100 tubes
Saline, Normal, 5 mL	ISO-6361	2 - 8 °C	100 tubes
Selenite-F Broth (for Salmonella Enrichment), 5 mL	ISO-6420	2 - 8 °C	100 tubes
SIM (Sulfide, Indole, Motility) Medium, 5mL	ISO-6470	2 - 8 °C	100 tubes
Simmons Citrate Agar Slants	ISO-6480	2 - 8 °C	100 tubes
Thioglycollate Medium w/o Indicator-135C, 5mL	ISO-6577	15 - 30 °C	100 tubes
Triple Sugar Iron Agar Slants	ISO-6670	2 - 8 °C	100 tubes
Trypticase™ Soy Agar Slants	ISO-6642	2 - 8 °C	100 tubes
Trypticase™ Soy Broth, 5 mL	ISO-6644	2 - 25 °C	100 tubes
Tryptophan 1% Solution (for Indole Production), 5 mL	ISO-6650	2 - 8 °C	100 tubes
Urea Agar Slants (Christensen's)	ISO-6701	2 - 8 °C	100 tubes
Urease Test Broth (Stuart's), 3 mL	ISO-6711	2 - 8 °C	100 tubes

***We can produce and customize media to meet your needs.***

***We can customize the volume of Tubed and Bottled media based on your requirement.***

***Kindly contact us for further details.***

*Trypticase are trademark of Becton Dickinson.*



# Isolab –The Makers of Microbiology

MALAYSIAN MADE MALAYSIAN OWNED



Rgn No : 852288  
ISO 9001:2000 Certified

## Pre-poured Culture Media

### ABOUT ISOLAB

Superior Product Performance – With over 10 years of experiences, our media offers optimal recovery and differentiation of microorganisms.

### OUR PRODUCTS

Comprehensive source for Prepared Culture Media (ISOLAC™) – We are a trusted source for all your media needs, offering the most complete offering of routine and specialty media. Product Quality Assured – All ISOLAC™ Brand from Isolab manufacturing facilities adhere to the ISO 9001-2000 Good Manufacturing Practice guidelines and are ISO certified to assure accurate and reproducible performance.

- Certificates of Analysis Available.
- Our media use are nothing less than BBL™ and DIFCO™ dehydrated culture media.
- We also have many references in West and East Malaysia including international clients.

We customize media and biochemical kits for you to detect microorganism of your choice. Our media ranges from food, clinical, pharmaceuticals to rapid water and air testing.

All ISOLAC™ media are prepared with high quality automated machine in a certified clean room. Samples of each lot of ISOLAC™ media are tested according to CLSI protocols and only satisfactory lots are released for distribution.



Manufactured by:

ISOLAB SDN BHD (428427-T)

No. 5, Jalan Anggerik Mokara 31/46,

Kota Kemuning, 40460 Shah Alam,

Selangor Darul Ehsan, MALAYSIA

Tel : (603) 5122 5331/5337

Fax: (603) 5122 7191

Email : enquiry@isolab.com.my

Website : <http://www.isolab.com.my>

Our trading products :-

BIOTEC : Microbiology Blood Grouping Reagents and Antisera

DRAGON MED : Micro Pipette, ESR Analyzer

ISOCHEK™ : Pregnancy Test (HCG one step Pregnancy test) Strip or Cassette Format

• ISOLAC and ISOCHEK are trademarks of Isolab Sdn Bhd