

## ISOLAB SDN BHD (428427-T)

No. 5, Jalan Anggerik Mokara 31/46, Kota Kemuning, 40460 Shah Alam, Selangor Darul Ehsan, Malaysia.

Tel : +6 03-5122 5331 / 5122 5337

Fax : +6 03-5122 7191 E-mail : enquiry@isolab.com.my Website : http://www.isolab.com.my

## **QUALITY CONTROL CERTIFICATE**

Date : Page : 1 of 1

Product : Desoxycholate Citrate Agar / TCBS Agar (Two Compartments)

## A. PHYSICAL CHARACTERISTICS

1. Plate appearance : Orange red, very slightly opalescent (DCA) & Green, slightly opalescent (TCBS Agar)

2 pH at  $25^{\circ}$ C : (pH specification range:  $7.3 \pm 0.2$ ) Desoxycholate-Citrate Agar

3 pH at 25°C : (pH specification range:  $8.6 \pm 0.2$ ) TCBS Agar

34 Sterility : Passed inspection after 3 days.

## B. BIOLOGICAL PERFORMANCE

Representative samples of this batch were inoculated with the test organisms, incubated under appropriate atmospheric conditions and gave cultural responses as indicated:

Test Organisms	ATCC®	Inoculum (CFU'S)	Incubation	Result
				Desoxycholate-Citrate Agar
Enterococcus faecalis	29212	1,000-2,000	35±2°C, Aerobic, 24 hr	Marked to complete inhibition.
Escherichia coli	25922	1,000-2,000	35±2°C, Aerobic, 24 hr	Partial inhibition, colonies large, flat, rose-red with bile precipitates.
S. typhimurium	14028	100-1,000	35±2°C, Aerobic, 24 hr	Growth, colonies large, colourless to tan.
Shigella flexneri	12022	100-1,000	35±2°C, Aerobic, 24 hr	Growth, colourless to pink colonies.
			•	TCBS Agar
Escherichia coli	25922	$10^3 - 10^4$	35±2°C, 24 hours,	Inhibition (partial to complete).
Pseudomonas aeruginosa	27853	$10^3 - 10^4$	35±2°C, 24 hours,	Inhibition (partial to complete).
Enterococcus faecalis	29212	$10^3 - 10^4$	35±2°C, 24 hours,	Inhibition (partial to complete).
Vibrio cholerae	9459	$10^3 - 10^4$	35±2°C, 24 hours,	Satisfactory growth, colonies yellow.
Vibrio parahaemolyticus	17802	10 <sup>3</sup> - 10 <sup>4</sup>	35±2°C, 24 hours,	Satisfactory growth, colonies bluish green.

A satisfactory growth corresponds with moderate to heavy growth of the test organisms.

Representative samples of this lot were tested for microbial load and were found to be acceptable.

The pH stated was obtained at time of release, the pH may vary within the stated range depending on age of product and type of pH meter and probe used.

Results reported were obtained at time of release.