



# ISOLAB SDN BHD (428427-T)

No. 5, Jalan Anggerik Mokara 31/46,  
Kota Kemuning, 40460 Shah Alam,  
Selangor Darul Ehsan, Malaysia.

Tel : +6 03-5122 5331 / 5122 5337  
Fax : +6 03-5122 7191  
E-mail : enquiry@isolab.com.my  
Website : http://www.isolab.com.my

## QUALITY CONTROL CERTIFICATE

Date : Page : 1 of 1

Product : Malonate Broth, Ewing Modified, 2.5mL / 5mL

Catalog No. : ISO-6010SC / ISO-6010

Manufacture Date :

Batch No. :

Expiry Date :

### A. PHYSICAL CHARACTERISTICS

1. Solution appearance : Light to medium green with a tint of blue, clear to slight hazy.
2. pH at 25°C : (pH specification range:  $6.7 \pm 0.2$ )
3. Sterility : Passed inspection after 3 days.

### B. BIOLOGICAL PERFORMANCE

Representative samples of this batch were inoculated with the test organisms, incubated under appropriate atmospheric conditions and gave cultural responses as indicated:

Test Organisms	ATCC®	Incubation	Recovery	Medium Colour
<i>Enterobacter aerogenes</i>	13048	35±2°C, aerobic, 42-48 hrs	Good	Blue.
<i>Escherichia coli</i>	25922	35±2°C, aerobic, 42-48 hrs	Good	Yellow-green to gray-green.
<i>Klebsiella pneumoniae</i>	13883	35±2°C, aerobic, 42-48 hrs	Good	Blue.
<i>Salmonella typhimurium</i>	14028	35±2°C, aerobic, 42-48 hrs	Good	Green.

A satisfactory growth corresponds with moderate to heavy growth of the test organisms.

Representative samples of this lot were tested for microbial load and were found to be acceptable.

The pH stated was obtained at time of release, the pH may vary within the stated range depending on age of product and type of pH meter and probe used.

Results reported were obtained at time of release.

QC Manager