

ISOLAB SDN BHD (428427-T)

No. 5, Jalan Anggerik Mokara 31/46, Kota Kemuning, 40460 Shah Alam, Selangor Darul Ehsan, Malaysia.

Tel : +6 03-5122 5331 / 5122 5337

Fax : +6 03-5122 7191 E-mail : enquiry@isolab.com.my Website : http://www.isolab.com.my

QUALITY CONTROL CERTIFICATE

Date : Page : 1 of 1

Product : OF Basal Medium, 5mL

A. PHYSICAL CHARACTERISTICS

1. Tube appearance : Green, very slightly opalescent, with no precipitate

2. pH at 25°C : (pH specification range: 6.8 ± 0.1)

3. Sterility : Passed inspection after 3 days.

B. <u>BIOLOGICAL PERFORMANCE</u>

Representative samples of this batch were inoculated with the test organisms, incubated under appropriate atmospheric conditions and gave cultural responses as indicated:

Test Organisms	ATCC®	Incubation		<u>Reaction</u>	
			Uncovered	Covered with Oil	
Acinetobacter baumanni	19606	35±2°C, Aerobic, 24-48hr,	-	-	
Pseudomonas aeruginosa	10145	35±-2°C, Aerobic, 24-48hr,	-	-	
Shigella sonnei	9290	35±2°C, Aerobic, 24-48hr,	-	-	

K = Alkaline reaction, green medium

A = Acid reaction, yellow medium

G = Gas production

- = Unchanged

Representative samples of this lot were tested for microbial load and were found to be acceptable.

The pH stated was obtained at time of release, the pH may vary within the stated range depending on age of product and type of pH meter and probe used.

Results reported were obtained at time of release.