



ISOLAB SDN BHD (428427-T)

No. 5, Jalan Anggerik Mokara 31/46,
Kota Kemuning, 40460 Shah Alam,
Selangor Darul Ehsan, Malaysia.
Tel : +6 03-5122 5331 / 5122 5337
Fax : +6 03-5122 7191
E-mail : enquiry@isolab.com.my
Website : http://www.isolab.com.my

Rgn No : 852288
ISO 9001:2000 Certified

QUALITY CONTROL CERTIFICATE

Date :

Page : 1 of 1

Product : Phenol Red Broth with Raffinose, 8ml

Catalog No. : ISO-6273

Manufacture Date :

Batch No. :

Expiry Date :

A. PHYSICAL CHARACTERISTICS

- Media appearance : Medium Orange Red, Clear to Slightly Hazy
- pH at 25°C : (pH specification range: 7.4 ± 0.2)
- Sterility : Passed inspection after 3 days.

B. BIOLOGICAL PERFORMANCE

Representative samples of this batch were inoculated with the test organisms, incubated under appropriate atmospheric conditions and gave cultural responses indicated:

Test Organisms	ATCC®	Inoculum (CFU'S)	Expected Results	Gas
<i>Escherichia coli</i>	25922	Undiluted	Alkaline	-
<i>Pseudomonas aeruginosa</i>	27853	Undiluted	Alkaline	-
<i>Salmonella typhimurium</i>	14028	Undiluted	Alkaline	-
<i>Klebsiella pneumoniae</i>	33495	Undiluted	Acid	Gas

Acid = acid reaction (yellow)
+ Gas = Gas formation with Durham tube

Alkaline = alkaline reaction (red or pink)

Representative samples of this lot were tested for microbial load and were found to be acceptable.

The pH stated was obtained at time of release, the pH may vary within the stated range depending on age of product and type of pH meter and probe used.

Results reported were obtained at time of release.

QC Manager